INDEX

Page

Acorns, protein content, study 349-355
Agrostis—
alba, composition and palatability, experiments 342-347
capillaris, composition and palatability, experiments 342-347
Ambrosia—
beetles, fungi associated with. Arthur F. Verrall 135-144
fungi—
associated with—
Plotypus compositus 135, 136, 137-139
Pterocyclon fasciatum 135, 136, 137, 142-143
Pterocyclon mali 135, 136, 137, 142-143
Xyleborus affinis 135, 136, 130-141
Xyleborus pecanis 135, 136, 141-142
isolation from ambrosia beetles, cultural studies 137-139
See also *Cephalosporium luteum* sp. nov.; *Cephalosporium pallidum* sp. nov.; *Endomyces bispora* sp. nov.; and *Monilia brunnea* sp. nov.
Ammonium ion, effect upon repiration rate of *Azotobacter*, studies 429-431, 438
Anthoranthum odoratum, composition and palatability, experiments 342-347
Aonidiella aurantii. *See* Scale, California red.
Apple–
foliage, injury caused by metal dialkyl dithiocarbamates, tests 280-285
fruits—
mature, surface-area prediction, approximate, estimation methods 357-370, 371-373
surface-area determinations from surface of ellipsoid 359-361
surface-area predictions from—
diameter measurement 364-366
longitudinal section 363-364
transverse cross section 361-363
weights 366-370
scab, control by metal dialkyl dithiocarbamates, field tests 287-288
ARCHIBALD, J. G., BENNETT, E., and RITCHIE, W. S.: The Composition and Palatability of Some Common Grasses 341-347
ASCHAM, LEAH, REDER, RUTH, and EHEART, MARY S.: Effect of Fertilizer and Environment on the Ascorbic Acid Content of Turnip Greens 375-388
Ascorbic acid—
content of—
snap beans—
effect of storage 315, 319
plant parts, study 316, 319-321
relation to maturity 315-319
strains. B. L. Wade and Margaret S. Kanapaux 313-324
turnip greens, effect of fertilizer and environment. Ruth Reder, Leah Ascham, and Mary S. Eheart 375-388
Azotobacter—
assimilation, energy involved, relation to respiration—
apparatus for studying. J. M. Fife 229-248
rate as affected by different oxygen concentrations. J. M. Fife 421-440
nitrogen fixation, energy involved, relation to repiration—
apparatus for studying. J. M. Fife 229-248
rate as affected by different oxygen concentrations. J. M. Fife 421-440

Page

Azotobacter—Continued.
respiration in—
culture—
calculation of data 239
calibration results 237-239
calorimeter for 231-233
calorimeter operation 239
calorimeter results 244-246
carbon dioxide analysis 235-236
experimental methods for studying 231-237
sensitivity of apparatus 240-243
relation to energy involved in nitrogen fixation and assimilation, apparatus for studying. J. M. Fife 229-248
respiratory—
quotient, change with decreasing partial pressures of oxygen during nitrogen fixation and assimilation, studies 433-434
rate—
at different partial pressures of oxygen during ammonium ion assimilation, studies 429-431, 438-439
at different partial pressures of oxygen during nitrogen fixation, studies 421-429, 434-439
effect of different oxygen concentrations in relation to energy involved in nitrogen fixation and assimilation. J. M. Fife 421-440
effect on heat release in different oxygen concentrations during nitrogen fixation and assimilation 434-439
spp., cultures, preparation for respiration studies 236-237

Barley—
caryopsis, length increase, effect of temperature 396-400
embryo, growth, effect of tenperature 396-401
Goldfoil—
× Nepal, mildew resistance, linkage 1-5
factor for resistance to mildew, linkage relations. Fred N. Briggs and Ernest H. Stanford 1-5
Manchuria—
ovule—
growth, effect of temperature, experiments 390-391, 396-401
thermal death point and sterility 400-401
pollination and fertilization, effect of temperature, experiments 390, 391-395, 400, 401
nuclei in embryo and endosperm, number increase, effect of temperature 391-395
ovule—
fertilization, temperature factor. Merritt N. Pope 389-402
growth, temperature factor. Merritt N. Pope 389-402
pollen tube, growth, effect of temperature. 391, 400
resistence to mildew, linkage relations of Goldfoil factor. Fred N. Briggs and Ernest H. Stanford 1-5
stem colors, linkage 3-5
BARNES, E. R., VESTAL, C. M., and SHREWSBURY, C. L.: The Nutritive Value of Certain Fish Meals as Determined in Tests With Swine and Rats 125-134
BATEN, WILLIAM DOWELL, and MARSHALL, ROY E.: Some Methods for Approximate Prediction of Surface Area of Fruits 357-373
BEACHELL, H. M.: Effect of Photoperiod on Rice Varieties Grown in the Field 325-340

Page

Bean—
foliage, injury caused by metal dialkyl dithiocarbamates, tests 280-284
plants, ascorbic acid content, relation to soil manganese, study 314, 319, 320
Beans, snap—
ascorbic acid content—
effects of storage, correlations 315, 319
in plant parts, study 316, 319-321
relation to stage of maturity 315-319
maturity, relation to ascorbic acid content 315-319
strains, ascorbic acid content. B. L. Wade and Margaret S. Kanapaux 313-324
varietal difference in relation to ascorbic acid content 316, 320-321
Beef, juiciness after cooking, mechanical determination 406-411
Beet, garden—
boron—
deficiency—
J. C. Walker, James P. Jolivette, and John G. McLean 97-123
effect on histology. James P. Jolivette and J. C. Walker 167-182
symptoms, greenhouse studies 98-108
deficient, pathological histology 169-175, 178-179
canning quality, effect of borax applications, tests 117
floral axis, effect of boron deficiency 174-175, 179
internal black spot, relation to boron deficiency, experiments 97, 98, 106-121
leaf—
lamina, development, effect of boron deficiency 173-174
petiole development, effect of boron deficiency 172-173, 179
root and hypocotyl, effect of boron deficiency 169-172, 179
See also Sugar beet.
Beetles. *See under* host and individual names.
BENNETT, E., ARCHIBALD, J. G., and RITCHIE, W. S.: The Composition and Palatability of Some Common Grasses 341-347
Bent, Rhode Island, composition and palatability, experiments 342-347
Beta spp. *See* Beet, garden; Sugar beet.
Bismuth salicylate, toxicity to spores of *Peronospora tabacina*, tests 271-272
Black spot, internal, of garden beets, relation to boron-deficiency, studies 97, 98, 106-121
Blue mold of tobacco. *See* Tobacco blue mold.
Bluegrass, Kentucky, composition and palatability, experiments 342-347
Borax—
application to beets, effect upon—
canning quality 117, 119
disease resistance, experiments 98, 107-117, 119-120
Boron deficiency in—
beets—
relation to susceptibility to disease 106-120
symptoms 169-175, 179
cabbage, symptoms 175-179
garden beet—
and cabbage, effects on histology. James P. Jolivette and J. C. Walker 167-182
and sugar beet. J. C. Walker, James P. Jolivette, and John G. McLean 97-123
Brassica rapa. *See* Turnip.
BRIGGS, FRED N., and STANFORD, ERNEST H.: Linkage Relations of the Goldfoil Factor for Resistance to Mildew in Barley 1-5
Broomcorn, development, effect of kernel smuts, experiments 147-150, 152-159

Cabbage—
histology, effect of boron deficiency. James P. Jolivette and J. C. Walker 167-182
leaf, effect of boron-deficiency 176-177, 179
old, symptoms of boron-deficiency 177-178, 179
seedlings, boron-deficient, pathological histology 175-179
young, root, hypocotyl and stem disorganization, effects of boron deficiency 175-176

Page

Calcium—
carbonate and increased iron, effect on yield of millet in quartz sand 54-55
effect on ascorbic acid content of turnip greens, experiments 375-385
salts, effect on maize seedlings grown in dark, experiments 184-187, 213-225
California red scale. *See* Scale, California red.
Calorimeter—
construction for measuring metabolic activity of *Azotobacter* spp. 231-233
operation and sensitivity in respiration 239-243
use in study of *Azotobacter* spp., results 244-246
Cephalosporium—
luteum sp. nov.—
technical description 141-142
See also Ambrosia fungi.
pallidum sp. nov.—
technical description 139-141
See also Ambrosia fungi.
Ceratostomella ulmi—
cause of Dutch elm disease 77
dissemination and infestation of elm trees 77
isolation from insects attracted to felled elm trees. T. H. Jones and C. S. Moses 77-85
See also Dutch elm disease.
Cherry leaf spot, control by metal dialkyl dithiocarbamates, field tests 289-290
Chromosomes, study in *Lactuca* 41-48
CLARK, NANCY GRISWOLD, TANNOR, BERNARD, and HANKINS, O. G.: Mechanical Determination of the Juiciness of Meat 403-412
CLAYTON, E. E., SMITH, T. E., SHAW, K. J., GAINES, J. G., GRAHAM, T. W., and YEAGER, C. C., JR.: Fungicidal Tests on Blue Mold (*Peronospora tabacina*) of Tobacco 261-276
Clover—
Ladino, composition and palatability, experiments 342-347
white Dutch, composition and palatability, experiments 342-347
Color, seed, inheritance in *Lactuca sativa*. Ross C. Thompson 441-452
Colors, barley stems, linkage 3-5
CONRAD, CARL M., and NEELY, J. WINSTON: Heritable Relation of Wax Content and Green Pigmentation of Lint in Upland Cotton 307-312
Copper—
compounds, fungicidal value against blue mold of tobacco, tests 263-264
dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments 279-290
oil—
mixtures, emulsifiers for, efficacy against blue mold of tobacco, tests 270-271
sprays, fungicidal value against blue mold of tobacco, tests 264-267
Corn—
borers, European—
age at time of differentiation in survival 11-13
larval survival, effect of stage of corn plant development and presence of tassels 7-11
location in corn plants 15-18
survival, weight, and location when feeding on resistant and susceptible field corn. L. H. Patch 7-19
weights at different ages, comparison 13-15
dent—
inbred lines, stalk rot, studies 21-39
seedlings grown in dark, effect of nutrient solutions 184-228
field—
plant, developmental stage, effect on survival of borer larvae 7-11
resistant and susceptible, European corn borers feeding on, survival, weight, and location. L. H. Patch 7-19
pythium stalk rot—
Charlotte Elliott 21-39
causal organism—
identity 26-28
pathogenicity studies 28-39
control 39
development 21-25
tassel, presence, effect on survival of borers 7-11, 19
See also Maize.

Page

Cornstalk, pythium rot infection 21-39
Cotton—
Arkansas, Green Lint × Half and Half, inheritance studies 296-300, 302-305, 308-311
lint—
green—
heritable relation to wax content. Carl M. Conrad and J. Winston Neely 307-312
phenotypes, evidence of "spurious pleiotrophy" 300-301, 305
index, relation to green lint 293-305
wax content, genetic factors affecting 307-312
Pima—
boll—
glands, variations 447, 450-451
surface, relation to occurrence of oil glands 448-450
calyx glands, variations 448, 449-451
oil glands—
characters, comparison in families 447-452
inheritance. R. H. Peebles and E. Gordon Smith 447-452
occurrence, relation to boll surface 448-450
stem glands, variations 447, 449-451
upland—
fiber, green-lint character, description and inheritance 293-294
green lint—
and lint index, relationship 294-295
pigmentation and wax content, heritable relation. Carl M. Conrad and J. Winston Neely 307-312
relation to lint index. J. Winston Neely 293-306
green pigmentation, effect on fiber development 301-302, 303
linkage relationships, studies 294-305
lint—
index and green lint, relationship. J. Winston Neely 293-306
percentage and lint-index characters 294
wax content and green pigmentation in, heritable relation. Carl M. Conrad and J. Winston Neely 307-312
seed characteristics in relation to ginning, tests 250-259
Cottons, seed—
characteristics, relationship to ginning. W. Sharrott Smith, William J. Martin, and Norma L. Pearson 249-260
ginning, relationship to certain characteristics. W. Sharrott Smith, William J. Martin, and Norma L. Pearson 249-260
Cottonseed—
fuzz, effect upon ginning efficiency, experiments 250-260
lint percentage, effect upon ginning efficiency, experiments 250-260
oil, fungicidal value against blue mold of tobacco, tests 262-263, 272-273
size, effect upon ginning efficiency, experiments 250-260
CRESSMAN, A. W.: Effectiveness Against the California Red Scale of Cube Resins in Light-Medium and Heavy Spray Oils 413-419
Cube resins, effectiveness—
against California red scale in light-medium and heavy spray oils. A. W. Cressman 413-419
in lighter oil, discussion 417-418
Cuprous oxide, toxicity to spores of *Peronospora tabacina*, tests 271-272, 275

Dactylis glomerata, composition and palatability, experiments 342-347
Darso, development, effect of kernel smuts, experiments 147-150, 154-155, 159
Day lengths, effect on time of heading and plant growth of rice 325-339
Dialkyl dithiocarbamates, metal, fungicidal and phytocidal properties. M. C. Goldsworthy, E. L. Green, and M. A. Smith 277-291
Diluents, insecticidal, deposits on charged plates. G. F. MacLeod and Leslie M. Smith 87-95

Page

Dithiocarbamates, metal dialkyl—
efficacy in control of—
apple scab, field tests 287-288
cherry leaf spot, field tests 289-290
peach scab and brown rot, field tests 289
fungicidal and phytocidal properties. M. C. Goldsworthy, E. L. Green, and M. A. Smith 277-291
perfusion and spray-residue tests 282-287
physical properties 278-280
Durra, development, effect of kernel smuts, experiments 147-154, 157, 159
Dusts, insecticidal, deposits on charged plates. G. F. MacLeod and Leslie M. Smith 87-95
Dutch elm disease—
causal organism, isolation from insects attracted to felled trees 77-85
dissemination 77
See also *Ceratostomella ulmi*.

EHEART, MARY S., REDER, RUTH, and ASCHAM, LEAH: Effect of Fertilizer and Environment on the Ascorbic Acid Content of Turnip Greens 375-388
ELLIOTT, CHARLOTTE: A Pythium Stalk Rot of Corn 21-39
Elm—
American—
infection by Dutch elm disease 77
seed, protein content, study 349-355
trees, felled, insects attracted to, isolation of *Ceratostomella ulmi* from. T. H. Jones and C. S. Moses 77-85
Emulsifiers for copper-oil and salicylate-oil mixtures against blue mold of tobacco, tests 270-271
Endomyces bispora, sp. nov.—
technical description 137-139
See also Ambrosia fungi.
Energy involved in nitrogen fixation and assimilation by *Azotobacter*, apparatus for studying respiration in relation to. J. M. Fife 229-248
Environment, effect on ascorbic acid content of turnip greens. Ruth Reder, Leah Ascham, and Mary S. Eheart 375-388
Erisiphe graminis hordei, resistance factors in barley 1-5

Feeding, swine and rats, value of fish meals, comparisons 125-133
Fertilization, barley ovule, temperature factor in. Merritt N. Pope 389-402
Fertilizer, effect on ascorbic acid content of turnip greens. Ruth Reder, Leah Ascham, and Mary S. Eheart 375-388
Fescue, sheep, composition and palatability, experiments 342-347
Feterita, development, effect of kernel smuts, experiments 147-150, 159, 164
FEUSTEL, IRVIN C., and GILE, PHILIP L.: Effect of Soil and Peat Admixtures on the Growth of Plants in Quartz Sand 49-65
FIFE, J. M.:
An Apparatus for Studying Respiration of *Azotobacter* in Relation to the Energy Involved in Nitrogen Fixation and Assimilation 229-248
The Effect of Different Oxygen Concentrations on the Rate of Respiration of *Azotobacter* in Relation to the Energy Involved in Nitrogen Fixation and Assimilation 421-440
Fish meals—
nutritive value—
determination, tests with swine and rats. E. R. Barrick, C. M. Vestal, and C. L. Shrewsbury 125-134
for swine and rats, feeding trials 125-133
use as protein supplements in swine rations, feeding trials 126-128, 133
Fruits, surface-area prediction, approximate, methods for. William Dowell Baten and Roy E. Marshall 357-373

Page

Fungi—
associated with certain ambrosia beetles. Arthur F. Verrall ... 135-144
conidia, toxicity of metal dialkyl dithiocarbamates to, tests ... 285-287
See also specific kinds.
Fungicidal—
properties of some metal dialkyl dithiocarbamates. M. C. Goldsworthy, E. L. Green, and M. A. Smith ... 277-291
tests on blue mold (*Peronospora tabacina*) of tobacco. E. E. Clayton, T. E. Smith, K. J. Shaw, J. G. Gaines, T. W. Graham, and C. C. Yeager, Jr. ... 261-276
Fungicides, miscellaneous, value against blue mold of tobacco, tests ... 268, 272-275
Fungus diseases, effectiveness of sprays against, discussion ... 272-273

GAINES, J. G., CLAYTON, E. E., SMITH, T. E., SHAW, K. J., GRAHAM, T.W., and YEAGER, C. C., JR.: Fungicidal Tests on Blue Mold (*Peronospora tabacina*) of Tobacco ... 261-276
Genetic relationships, interspecific, in *Lactuca*, further studies. Ross C. Thompson ... 41-48
GILE, PHILIP L., and FEUSTEL, IRVIN C.: Effect of Soil and Peat Admixtures on the Growth of Plants in Quartz Sand ... 49-65
Ginning, seed cottons, relationship to certain characteristics. W. Sharrott Smith, William J. Martin, and Norma L. Pearson ... 249-260
Glands, oil, inheritance in Pima cotton. R. H. Peebles and E. Gordon Smith ... 447-452
Glycerides, effect upon fungicidal properties of oils used in treatment of tobacco blue mold ... 261-275
GOLDSWORTHY, M. C., GREEN, E. L., and SMITH, M. A.: Fungicidal and Phytocidal Properties of Some Metal Dialkyl Dithiocarbamates ... 277-291
Gossypium—
barbadense. *See* Cotton, Pima.
hirsutum. *See* Cotton, upland.
oil-gland inheritance, studies ... 447-452
GRAHAM, T. W., CLAYTON, E. E., SMITH, T. E., SHAW, K. J., GAINES, J. G., and YEAGER, C. C., JR.: Fungicidal Tests on Blue Mold (*Peronospora tabacina*) of Tobacco ... 261-276
Grasses—
chemical analyses ... 343-345
common, composition and palatability. J. G. Archibald, E. Bennett, and W. S. Ritchie ... 341-347
palatability trials ... 346
GREEN, E. L., GOLDSWORTHY, M. C., and SMITH, M. A.: Fungicidal and Phytocidal Properties of Some Metal Dialkyl Dithiocarbamates ... 277-291
Greens, turnip. *See* Turnip greens.

HANKINS, O. G., TANNOR, BERNARD, and CLARK, NANCY GRISWOLD: Mechanical Determination of the Juiciness of Meat ... 403-412
HANSING, E. D., and MELCHERS, L. E.: The Effect of Sorghum Kernel Smuts on the Development of the Host ... 145-165
Heart rot of sugar beets, relation to boron deficiency, experiments ... 108-109, 111, 115-116
HENDERSON, M. T., and LECLERG, E. L.: Studies of Some Factors Affecting Fruit Setting in *Solanum tuberosum* in the Field in Louisiana ... 67-76
Herring meal, nutritive value for swine and rats, feeding trials ... 126-133
Hop-hornbean seed, protein content, study ... 349-355
Hordeum vulgare var. *pallidum*. *See* Barley, Manchuria.
Hylurgopinus rufipes, carrier of *Ceratostomella ulmi* ... 80-84

Inheritance—
lint abundance in upland cotton, studies ... 293-305
oil glands in Pima cotton. R. H. Peebles and E. Gordon Smith ... 447-452

Page

Inheritance—Continued.
seed color in *Lactuca sativa*. Ross C. Thompson ... 441-446
wax content and green pigmentation of lint in upland cotton, studies ... 307-312
Insecticidal dusts and diluents, deposits on charged plates. G. F. MacLeod and Leslie M. Smith ... 87-95
Insecticides, dust, deposits on charged plates ... 87-95
Insects—
attracted to felled elm trees, isolation of *Ceratostomella ulmi* from. T. H. Jones and C. S. Moses ... 77-85
carriers of Dutch elm disease, importance, study ... 77-85
Iron—
dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments ... 278-291
increased, and calcium carbonate, effect on yield of millet in quartz sand ... 54-55
Ironwood seed, protein content, study ... 349-355

JOLIVETTE, JAMES P.:
and WALKER, J. C.: Effect of Boron Deficiency on the Histology of Garden Beet and Cabbage ... 167-182
WALKER, J. C., and MCLEAN, JOHN G.: Boron Deficiency in Garden and Sugar Beet ... 97-123
JONES, T. H., and MOSES, C. S.: Isolation of *Ceratostomella ulmi* From Insects Attracted to Felled Elm Trees ... 77-85

Kafir, development, effect of kernel smuts, experiments ... 147-150, 159, 164
KANAPAUX, MARGARET S., and WADE, B. L.: Ascorbic Acid Content of Strains of Snap Beans ... 313-324
Kaoliang, development, effect of kernel smuts, experiments ... 145, 147-151, 155-157
KEMPTON, J. H.: Differential Effect of Nutrient Solutions on the Size of Various Parts of Maize Seedlings Grown in the Dark ... 183-228

Lactuca—
crosses, chromosome behavior in, experiments ... 41-48
interspecific genetic relationships, further studies. Ross C. Thompson ... 41-48
sativa, seed color, inheritance. Ross C. Thompson ... 441-446
spp. —
8- and 9-chromosome, crosses between, characteristics ... 45
8- and 17-chromosome, crosses between, characteristics ... 45-46
8- chromosome species, crosses between, characteristics ... 43
See also Lettuce.
Lamb, juiciness after cooking, mechanical determination ... 407-411
Lead dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments ... 278-290
LECLERG, E. L., and HENDERSON, M. T.: Studies of Some Factors Affecting Fruit Setting in *Solanum tuberosum* in the Field in Louisiana ... 67-76
Lemon—
fruit, California red scale infestation, control experiments ... 415-417
wood, California red scale infestation, control experiments ... 414-415
Lettuce—
achene color factors, genetic relations ... 442-445
Chavigne × Giant Summer, achene color, genetic relations ... 444-445
chromosome studies ... 41-48
Grand Rapids × —
Giant Summer, achene color, genetic relations ... 442-443, 444
Iceberg, achene color, genetic relations ... 443, 444
white-seeded hybrid, achene color, genetic relations ... 443-444
hybrids, seed-color inheritance, studies ... 441-446

Page

Lettuce—Continued.
seed color inheritance studies 441-446
white-seeded hybrid × Giant Summer, achene, color, genetic relations 444-445
See also *Lactuca*.
Light, effect on time of heading and plant growth of rice, experiments 325-339
Liming, soil, relation to internal black spot of garden beets, experiments 117-119
Linkage—
green lint and lint index, in cotton, study 294-295
relation of Goldfoil factor for resistance to mildew in barley. Fred N. Briggs and Ernest H. Stanford 1-5
stem colors in barley 3-5
Linseed oil, fungicidal value against blue mold of tobacco, tests 262-263
Louisiana, *Solanum tuberosum*, fruit setting in field, factors affecting. M. T. Henderson and E. L. LeClerg 67-76
LUND, A. P., and SANDSTROM, W. M.: The Proteins of Various Tree Seeds 349-355

MACLEOD, G. F., and SMITH, LESLIE M.: Deposits of Insecticidal Dusts and Diluents on Charged Plates 87-95
Maize—
coleoptile, length, effect of nutrient solutions in dark 208
mesocotyl length, effect of nutrient solutions in dark 195-196, 208, 213-214
roots, effect of nutrient solutions in dark 213, 221
seed—
germination in dark, effects of different solutions and temperatures 225-226
residue, effect of nutrient solutions in dark 214-215, 224-225
seedlings—
grown in dark—
differential effects of nutrient solutions on size of various parts. J. H. Kempton 183-228
dry-matter content, effects of nutrient solutions 215-225
mean lengths, when grown in dark at constant temperature and in nutrient solutions 196-209
mesocotyl length, effect of nutrient solutions in dark at different temperatures 183-186
parts, elongation and dry weight, effect of solutions at constant temperatures in dark 186-226
weights, when grown in dark at constant temperature and in nutrient solutions 196-198, 204-208, 213-218
tops, effect of nutrient solutions in dark 208, 213, 220
See also Corn.
Manganese, content of soil, relation to ascorbic acid in bean plant, study 314, 319, 320
MARSHALL, ROY E., and BATEN, WILLIAM DOWELL: Some Methods for Approximate Prediction of Surface Area of Fruits 357-373
MARTIN, WILLIAM J., SMITH, W. SHARROTT, and PEARSON, NORMA L.: Relationship of Certain Characteristics of Seed Cottons to Ginning 249-260
MCLEAN, JOHN G., WALKER, J. C., and JOLIVETTE, JAMES P.: Boron Deficiency in Garden and Sugar Beet 97-123
Meat—
juiciness—
after cooking—
apparatus for determining 405-408
determination method, accuracy 408-409
determination method, evaluation 409-411
mechanical determination. Bernard Tannor, Nancy Griswold Clark, and O. G. Hankins 403-412
palatability factors, measurement 403-408
MELCHERS, L. E., and HANSING, E. D.: The Effect of Sorghum Kernal Smuts on the Development of the Host 145-165
Menhaden meal, nutritive value for swine and rats, feeding trials 126-133

Page

Mercury dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments 279-290
Metal dialkyl dithiocarbamates, properties, fungicidal and phytocidal. M. C. Goldsworthy, E. L. Green, and M. A. Smith 277-291
Mildew resistance in barley, Goldfoil factor, linkage relations. Fred N. Briggs and Ernest H. Stanford 1-5
Millet—
growth in quartz sand, effect of soil and peat admixtures 49-64
yields—
comparative, in quartz sand and sand—or peat mixtures, influence of water 55-58
peat mixture as influenced by peat pH value 50-54
soil mixture, influence of mechanical composition of sand 58-59
in quartz sand, effect of calcium carbonate and increased iron 54-55
Milo, awn development, effect of smut infection, study 147-150, 154-155, 162-163, 164
Mold, blue, of tobacco. *See* Tobacco, blue mold.
Monilia brunnea sp. nov.—
technical description 142-143
See also Ambrosia fungi.
MOSES, C. S., and JONES, T. H.: Isolation of *Ceratostomella ulmi* From Insects Attracted to Felled Elm Trees 77-85

NEELY, J. WINSTON:
Relation of Green Lint to Lint Index in Upland Cotton 293-306
and CONRAD, CARL M.: Heritable Relation of Wax Content and Green Pigmentation of Lint in Upland Cotton 307-312
New Jersey, Dutch elm disease, dissemination, study 77-85
New York, Dutch elm disease, dissemination, study 77-85
Nicotiana tabacum. *See* Tobacco.
Nitrate ion, effect upon respiration rate of *Azotobacter*, studies 431-432, 438
Nitrogen—
assimilation by *Azotobacter*, energy involved—
apparatus for studying respiration in relation to. J. M. Fife 229-248
relation to respiration rate as affected by different oxygen concentrations. J. M. Fife 421-440
effect on ascorbic acid content of turnip greens, experiments 375-385
fixation by *Azotobacter*, energy involved—
apparatus for studying respiration in relation to. J. M. Fife 229-248
relation to respiration rate as affected by different oxygen concentrations. J. M. Fife 421-440
Nutrient—
salts combined with oil sprays, fungicidal value against blue mold of tobacco, tests 267-268
solutions, differential effects on size of various parts of maize seedlings grown in the dark. J. H. Kempton 183-228
Nutritive value of certain fish meals, determination, tests with swine and rats. E. R. Barrick, C. M. Vestal, and C. L. Shrewsbury 125-134

Oak—
northern—
bur, seed, protein content, study 349-355
pin, seed, protein content, study 349-355
red, seed, protein content, study 349-355
red, seed, protein content, study 349-355
white, seed, protein content, study 349-355
Oil—
glands, inheritance in Pima cotton. R. H. Peebles and E. Gordon Smith 447-452
sprays, with nutrient salts, fungicidal value against blue mold of tobacco, tests 267-268

Page

Oils—
fungicidal value against blue mold of tobacco, tests 262-263, 272-275
glyceride, effect upon blue mold of tobacco, tests 261-275
spray, light-medium and heavy, cube resins in, effectiveness against California red scale. A. W. Cressman 413-419
toxicity to spores of *Peronspora tabacina*, tests 271-272, 273-274
See also under specific kinds.
Oiticica oil, fungicidal value against blue mold of tobacco, tests 263
Orchard grass, composition and palatability, experiments 342-347
Organic compounds, miscellaneous, fungicidal value against blue mold of tobacco 268-270, 272-275
Oryza sativa. *See* Rice.
Ostrya virginiana, protein content, study 349-355
Oxygen concentrations, effect on respiration rate of *Azotobacter* in relation to energy involved in nitrogen fixation and assimilation. J. M. Fife 421-440

PATCH, L. H.: Survival, Weight, and Location of European Corn Borers Feeding on Resistant and Susceptible Field Corn 7-19
Peach—
brown rot, control by metal dialkyl dithiocarbamates, field tests 289
foliage, injury caused by metal dialkyl dithiocarbamates, tests 280-285
scab, control by metal dialkyl dithiocarbamates, field tests 289
Peanut oil, fungicidal value against blue mold of tobacco, tests 262-263
Pears, surface area, relation to weight 370-371, 373
PEARSON, NORMA L., SMITH, W. SHARROTT, and MARTIN, WILLIAM J.: Relationship of Certain Characteristics of Seed Cottons to Ginning 249-260
Peat—
admixture to quartz sand, effect on growth of plants. Philip L. Gile and Irvin C. Feustel 49-65
hydrogen-ion concentration, influence on comparative yields of millet in quartz sand and sand-peat mixtures 50-54
PEEBLES, R. H. and SMITH, E. GORDON: Inheritance of Oil Glands in Pima Cotton 447-452
Peronospora tabacina—
blue mold of tobacco, fungicidal tests. E. E. Clayton, T. E. Smith, K. J. Shaw, J. G. Gaines, T. W. Graham, and C. C. Yeager, Jr. 261-276
spore-germination tests 271-272
spores, toxicity of oils, cuprous oxide, and bismuth salicylate to, tests 271-272
Petroleum oils, light-medium and heavy, cube resins in, effectiveness against California red scale 413-418
Phaseolus vulgaris. *See* Bean; Beans.
Phleum pratense, composition and palatability, experiments 342-347
Phosphorus, effect on ascorbic acid content of turnip greens, experiments 375-385
Photoperiod, effect on rice varieties grown in field. H. M. Beachell 325-340
Phytocidal properties of some metal dialkyl dithiocarbamates. M. C. Goldsworthy, E. L. Green, and M. A. Smith 277-291
Pigmentation, green, of—
cotton fibers, studies 293-305, 307-312
lint in upland cotton, heritable relation to wax content. Carl M. Conrad and J. Winston Neely 307-312
Pigs, feeding with fish meals in ration, trials 126-128, 133
Plants, growth in quartz sand, effect of soil and peat admixtures on. Philip L. Gile and Irvin C. Feustel 49-65
Plates, charged, deposits of insecticidal dusts and diluents on. G. F. MacLeod and Leslie M. Smith 87-95
Platypus compositus, association with ambrosia fungus 135, 136, 137-139
Plums, surface area, relation to weight 371, 372-373

Page

Poa pratensis, composition and palatability, experiments 342-347
Pollination, controlled, effects on fruit setting in *Solanum tuberosum* 68-75
POPE, MERRITT N.: The Temperature Factor in Fertilization and Growth of the Barley Ovule 389-402
Pork, juiciness after cooking, mechanical determination 406-411
Potassium, effect on ascorbic acid content of turnip greens, experiments 375-385
Potato—
fruit setting in field in Louisiana, studies 67-75
nonfruitfulness, effect on breeding 67
See also *Solanum tuberosum*.
Proteins—
feeding to swine and rats, value of fish meals 125-133
tree seed—
A. P. Lund and W. M. Sandstrom 349-355
isolated, analysis 352-353, 354
isolation from prepared seed meal 351, 352
peptization studies 350, 353-354
Pterocyclon—
fasciatum, association with ambrosia fungus 142-143
mali, association with ambrosia fungus 135, 136-137, 142-143
Pythium—
butleri—
cause of stalk rot of corn 26-28
control 39
pathogenicity to field corn, inoculation studies 28-39
stalk rot of corn. Charlotte Elliott 21-39
Quartz sand—
cultures, soil admixtures in, beneficial effect 61-62
millet yield in, effect of calcium carbonate and increased iron 54-55
plant growth in, effect of soil and peat admixtures. Philip L. Gile and Irvin C. Feustel 49-65
Quercus—
alba, seed, protein content, study 349-355
borealis—
seed, protein content, study 349-355
var. *maxima*, seed, protein content, study 349-355
ellipsolidalis, seed, protein content, study 349-355
macrocarpa var. *oliviaeformis*, seed, protein content, study 349-355

Rats—
feeding with commercial fish meals, trials 128-133
nutritive value of certain fish meals, determination, tests. E. R. Barrick, C. M. Vestal, and C. L. Shrewsbury 125-134
REDER, RUTH, ASCHAM, LEAH, and EHEART, MARY S.: Effect of Fertilizer and Environment on the Ascorbic Acid Content of Turnip Greens 375-388
Redtop, composition and palatability, experiments 342-347
Resins, cube, effectiveness against California red scale in light-medium and heavy spray oils. A. W. Cressman 413-419
Respiration—
Azotobacter, apparatus for studying, in relation to energy involved in nitrogen fixation and assimilation. J. M. Fife 229-248
rate of *Azotobacter*, effects of different oxygen concentrations on, in relation to energy involved in nitrogen fixation and assimilation. J. M. Fife 421-440
Rice—
photoperiodic response, value to breeders 325
varieties—
grain and straw weights, effect of photoperiods, experiments 334-335
grown in field, effect of photoperiod. H. M. Beachell 325-340
heading time, effect of photoperiods, experiments 329-330
light treatments, split-day, effects 335-338
panicle length, effect of photoperiods, experiments 333
panicle number, effect of photoperiods, experiments 332-333

Page

Rice—Continued.
varieties—Continued.
plant height, effect of photoperiods, experiments 333-334
response to photoperiods, discussion 338-339
tiller number, effect of photoperiods, experiment 330-332
RITCHIE, W. S., ARCHIBALD, J. G., and BENNETT, E.: The Composition and Palatability of Some Common Grasses 341-347

Salicylate-oil mixtures, emulsifiers for, efficacy against blue mold of tobacco, tests 270-271
Salicylates, fungicidal value against blue mold of tobacco, tests 268-272
Salt solutions, nutrient effect on parts of maize seedlings grown in dark 183-228
Salts, nutrient, combined with oil sprays, fungicidal value against blue mold of tobacco, tests 267-268
Sand, quartz, plant growth in, effect of soil and peat admixtures. Philip L. Gile and Irvin C. Feustel 49-65
SANDSTROM, W. M., and LUND, A. P.: The Proteins of Various Tree Seeds 349-355
Sapwood staining associated with ambrosia fungi 136-137
Sardine meals, nutritive value for swine and rats, feeding trials 126-133
Scale, California red—
effectiveness of cube resins against, in light-medium and heavy spray oils. A. W. Cressman 413-419
oils used in sprays—
deposits on lemon leaves 414
specifications 413
Scolytus multistriatus, carrier of *Ceratostomella ulmi* 80-84
Seed color, inheritance in *Lactuca sativa*. Ross C. Thompson 441-446
Seeds, tree, proteins of. A. P. Lund and W. M. Sandstrom 349-355
Shallu, development, effect of kernel smuts, experiments 155-159
SHAW, K. J., CLAYTON, E. E., SMITH, T. E., GAINES, J. G., GRAHAM, T. W., and YEAGER, C. C., JR.: Fungicidal Tests on Blue Mold (*Peronospora tabacina*) of Tobacco 261, 276
SHREWSBURY, C. L., BARRICK, E. R., and VESTAL, C. M.: The Nutritive Value of Certain Fish Meals as Determined in Tests With Swine and Rats 125-134
Silver dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments 278-290
SMITH, E. GORDON, and PEEBLES, R. H.: Inheritance of Oil Glands in Pima Cotton 447-452
SMITH, LESLIE M., and MACLEOD, G. F.: Deposits of Insecticidal Dusts and Diluents on Charged Plates 87-95
SMITH, M. A., GOLDSWORTHY, M. C., and GREEN, E. L.: Fungicidal and Phytocidal Properties of Some Metal Dialkyl Dithiocarbamates 277-291
SMITH, T. E., CLAYTON, E. E., SHAW, K. J., GAINES, J. G., GRAHAM, T. W., and YEAGER, C. C., JR.: Fungicidal Tests on Blue Mold (*Peronospora tabacina*) of Tobacco 261-276
SMITH, W. SHARROTT, MARTIN, WILLIAM J., and PEARSON, NORMA L.: Relationship of Certain Characteristics of Seed Cottons to Ginning 249-260
Smut—
infection of sorghum, effect upon—
awn development 162-163, 164
growth cycle of host 154, 164
height of plant, stalk diameter, and leaf width, studies 147-154
node differentiation of host 154-155, 163-164
proliferation of panicles 157-159
tillering of host 155-157, 164
sori, size on sorghum varieties, comparisons 159-162, 164

Page

Smuts—
kernel, of sorghum, effects on development of host. L. E. Melchers and E. D. Hansing 145-165
See also under host and specific name.
Sodium dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments 278-290
Soil—
admixture—
in quartz sand cultures, beneficial effects 61-62
to quartz sand, effect on growth of plants. Philip L. Gile and Irvin C. Feustel 49-65
liming, relation to internal black spot of garden beets, experiments 117-119
manganese content, relation to ascorbic acid in bean plant, study 314, 319, 320
Solanum tuberosum—
flower development, stage, effect on fruit set 71-72
fruit—
set, effect of—
bagging flowers 68-71
natural environmental conditions 72-74
number of pollinations 71-72
setting in field, factors affecting, studies in Louisiana. M. T. Henderson and E. L. LeClerg 67-76
varieties, pollen sterility, extent 67-68
See also Potato.
Sorghum—
development, effect of kernel smuts. L. E. Melchers and E. D. Hansing 145-165
glumes, proliferation, effect of smut infection 157-159, 164
kernel smuts—
effects on development of host. L. E. Melchers and E. D. Hansing 145-165
See also *Sphacelotheca cruenta; S. sorghi.*
varieties, smut-sori variation, comparisons 159-162, 164
Sorghums—
awn development, effect of smut infection 162-163, 164
covered kernel smut, cause 145
infection with kernel smut, effects on height of plant, stalk diameter, and leaf width, morphological studies 147-154, 163
loose kernel smut, cause 145
smut infection, effect on—
excessive tillering 155-157, 164
growing cycle 154, 164
node differentiation 154-155, 163-164
proliferation of panicles 157-159, 164
Sorgo development, effect of kernel smuts, experiments 147-150, 159
Soybean oil, fungicidal value against blue mold of tobacco, tests 262-263
Sphacelotheca cruenta—
cause of loose kernel smut 145
effects on development of sorghum 145-164
physiologic races, relation to size of sori on sorghum varieties 159-162
See also Sorghum kernel smuts.
Sphacelotheca sorghi—
cause of covered kernel smut 145
effects on development of sorghum 145-164
See also Sorghum kernel smuts.
Spray—
oils—
heavy and light, efficacy against California red scale, comparison with light, experiments 413-418
light-medium and heavy, cube resins in, effectiveness against California red scale. A. W. Cressman 413-419
protection against fungus diseases, discussion 272-273
residue, injury to—
apple and peach foliage by metal dialkyl dithiocarbamates 280-285
kidney bean foliage by metal dialkyl dithiocarbamates 280-284
STANFORD, ERNEST H., and BRIGGS, FRED N.: Linkage Relations of the Goldfoil Factor for Resistance to Mildew in Barley 1-5

Page

Storage, effects on ascorbic acid content of snap beans ... 315, 319
Sugar beet—
boron deficiency. J. C. Walker, James P. Jolivette, and John G. McLean ... 97–123
heart rot, relation to boron deficiency, experiments ... 108–109, 111, 115–116
See also Beet, garden.
Sulfur compounds, fungicidal value against blue mold of tobacco, tests ... 263–264
Surface area of fruits, approximate prediction of, methods for. William Dowell Baten and Roy E. Marshall ... 357–373
Swine, nutritive value of certain fish meals, determination tests. E. R. Barrick, C. M. Vestal, and C. L. Shrewsbury ... 125–134

TANNOR, BERNARD, CLARK, NANCY GRISWOLD, and HANKINS, O. G.: Mechanical Determination of the Juiciness of Meat ... 403–412
Temperature—
effect on elongation and dry weight of maize seedling parts grown in solutions in dark ... 195
factor in fertilization and growth of barley ovule. Merritt N. Pope ... 389–402
THOMPSON, ROSS C.:
Further Studies on Interspecific Genetic Relationships in *Lactuca* ... 41–48
Inheritance of Seed Color in *Lactuca sativa* ... 441–446
Timothy, composition and palatability, experiments ... 342–347
Tobacco blue mold—
control by sprays, discussion ... 272–275
(*Peronospora tabacina*), fungicidal tests. E. E. Clayton, T. E. Smith, K. J. Shaw, J. G. Gaines, T. W. Graham, and C. C. Yeager, Jr ... 261–276
spore-germination tests ... 271–272
Tree seeds, proteins of. A. P. Lund and W. M. Sandstrom ... 349–355
Trifolium repens, composition and palatability, experiments ... 342–347
Tung oil, fungicidal value against blue mold of tobacco, tests ... 262–263
Turnip greens, ascorbic-acid content—
determination ... 376–378
effect of fertilizer and environment. Ruth Reder, Leah Ascham, and Mary S. Eheart ... 375–388

Page

Ulmus americana. *See* Elm, American.

Vernalgrass, sweet, composition and palatability, experiments ... 342–347
VERRALL, ARTHUR F.: Fungi Associated With Certain Ambrosia Beetles ... 135–144
VESTAL, C. M., BARRICK, E. R., and SHREWSBURY, C. L.: The Nutritive Value of Certain Fish Meals as Determined in Tests With Swine and Rats ... 125–134

WADE, B. L., and KANAPAUX, MARGARET S:. Ascorbic Acid Content of Strains of Snap Beans ... 313–324
WALKER, J. C.:
and JOLIVETTE, JAMES P.: Effect of Boron Deficiency on the Histology of Garden Beet and Cabbage ... 167–182
JOLIVETTE, JAMES P., and MCLEAN, JOHN G.: Boron Deficiency in Garden and Sugar Beet ... 97–123
Wax content of lint in upland cotton, heritable relation to green pigmentation. Carl M. Conrad and J. Winston Neely ... 307–312
Wheat yields, comparative, in quartz sand and sand-soil mixture, influence of nutrient salts ... 59–60
Wood-staining fungi, association with certain ambrosia beetles, studies ... 136–143

Xyleborus—
affinis, association with ambrosia fungus ... 135, 136, 139–141
pecanis, association with ambrosia fungus ... 135, 136, 141–142

YEAGER, C. C., JR., CLAYTON, E. E., SMITH, T. E., SHAW, K. J., GAINES, J. G., and GRAHAM, T. W.: Fungicidal Tests on Blue Mold (*Peronospora tabacina*) of Tobacco ... 261–276

Zea mays. *See* Corn; Maize.
Zinc dialkyl dithiocarbamates, properties, fungicidal and phytocidal, experiments ... 278–290